

**MARK SCHEME for the May/June 2009 question paper**  
**for the guidance of teachers**

**0625 PHYSICS**

**0625/06**

Paper 6 (Alternative to Practical), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2009	0625	06

- 1 (a)  $d$  2.5 (cm) [1]  
 $x$  14.5 (cm) [1]  
 diagram showing blocks correctly placed across the ends [1]  
 rule position (or distance) shown correctly [1]
- (b) (i)  $V_e$  71.1 - 71.2 (cm<sup>3</sup>) ecf allowed [1]  
 (ii) measuring cylinder reading 56 (cm<sup>3</sup>) [1]  
 (iii)  $\rho$  2.05–2.08 (or 2.1) ecf allowed [1]  
 $\text{g/cm}^3$  and 2 or 3 significant figures [1]
- [Total: 8]**
- 2 (a) 87 (°C) [1]
- (b)  $s$ , °C, °C [1]
- (c) **A** ecf allowed [1]  
 justified by reference to readings (up to 90s) with comparison of drops in temperatures (with numbers) given (ecf allowed) [1]
- (d) Any two from:  
 starting temperature  
 room temperature  
 carry out at same time  
 same thermometer (words to that effect)  
 same position of thermometers  
 same time intervals [2]
- [Total: 6]**
- 3 (a)  $R$  values 0.553, 1.55, 2.74, 3.74, 4.92 [1]  
 (2,3,4 or more significant figures) [1]  
 Consistent 3 or consistent 4 significant figures for final four entries [1]
- (b) Graph:  
 Axes labelled and scales suitable (must include origin) [1]  
 Plots correct to  $\frac{1}{2}$  square (–1 each error or omission) [2]  
 Well judged str. line taking account of all points and reaching an axis [1]  
 Thin line [1]
- (c) Statement proportional (wtte) or as  $x$  increases,  $R$  increases [1]  
 Justification straight line through origin [1]
- (d) Clear indication of method on graph [1]  
 Correct value to  $\frac{1}{2}$  square [1]

<b>Page 3</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – May/June 2009</b>	<b>0625</b>	<b>06</b>

- (e) low current/switch off between readings  
or add (variable) resistor/lamp  
or reduce voltage/power [1]

**[Total: 12]**

- 4 (a) 4.0 (cm) [1]  
6.0 (cm) [1]

- (b) 20, 30 ecf allowed [1]  
 $f$  values 11.88 (11.9), 12.00 (12.0) [1]  
 $f$  consistent 3 or more significant figures [1]

- (c) average  $f$  11.9, 11.94, 11.95, 12.0, 12 (cm) ecf allowed [1]  
2/3 significant figures [1]

- (h) Any two from  
use of darkened room  
slowly moving lens back and forth to get good image  
clamp rule or place on bench  
avoid parallax action given  
object/lens/screen perpendicular to bench  
object and lens same height from bench  
repeats [2]

**[Total: 9]**

- 5 (a) Q correct position with suitable number(s) [1]  
Rule correctly tilted, and on bench (or arrow to indicate) [1]

- (b) Any two from:  
Readings taken at either side/diameter of cylinder  
Position of mid point found  
Mark position of centre [2]

- (c) 34.5 cm [1]

**[Total: 5]**